

INDEX MAPS.

T. 5N, R. 6E. 2nd Mer.

	425-427	425-427	425-427	425-427	426	426						
429	6	449	5	452	4	452	3	452	2	451	1	425
	449	449	450	450	450	451						
429	7	448	8	448	9	447	10	447	11	447	12	424
	444	445	445	446	446	446						
429	18	444	17	444	16	443	15	443	14	442	13	424
	440	440-454	441	441	442	442						
428	19	440	20	439	21	438	22	438	23	438	24	424
	439	436	436	436	437	437						
428	30	435	29	435	28	434	27	432	26	431	25	423
	435	434	433	432	431	430						
428	31	434	32	433	33	432	34	430	35	430	36	423
	421-423	421-423	421-422	421-422	421-422	421-422						

T. 6N, R. 6E. 2nd Mer.

	461		461		461		460		460		459	
464	6	487	5	485	4	484	3	484	2	483	1	459
	487	487		485		484-481		482	482		483	
463	7	487	8	484	9		10	481	11	480	12	459
	486	486-478	478	478		479		479		480		
463	18	478	17	477	16	477	15	477	14	476	13	458
	485-474	474		475		475		475		476		
462	19	474	20	473	21	473	22	473	23	472	24	458
	470	470		471		471		471		472		
462	30	470	29	469	28	468	27	467	26	466	25	458
	469	469		467		466		465		465		
462	31	468	32	467	33	466	34	465	35	464	36	457
	455-457	455-457	455-457	455-457	455-456	455-456	455-456	455-456	455-456	456		

Meanders 488

[F] The figures on the lines refer to the page.

Township N. 5. North, Range N. 6 East 2. Mer. Indiana

Township Lines.
South Boundary.
Random Line.

East on the S. Boundary of Sec. 31

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 31 & 32

Good farming land, timber Oak, Hickory & Birch

East on the S. Boundary of Sec. 32

10.00 a Brook 250 Yds. wide course S

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 32 & 33

Land the same as last noted

East on the S. Boundary of Sec. 33

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 33 & 34

Land flat, timber Beech

East on the S. Boundary of Sec. 34

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 34 & 35

Good farming land

East on the S. Boundary of Sec. 35

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 35 & 36

Good farming land

East on the S. Boundary of Sec. 36

40.00 set temp. g. sec. post

78.40 Intersect E. Boundary 90 Yds. N. of Township cor.

Good farming land

T. 5 N., R. 6 E. 2^d. Mer. Ind.^a

Corrected Line.

Bearings to post cor. of T. 4 & 5 N., R. 6 & 7 E.

a Beech 16 in. diameter S 18° W 45 lbs. dist. 8

a Do 14 " " " N 63° E 31 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 10 in. diameter S 81° E 15 lbs. dist. 8

a Do 10 " " " S 87° W 14½ " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 24 in. diameter N 57° E 27 lbs. dist. 8

a Do 20 " " " N 59° W 9 " "

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a Beech 10 in. diameter S 89° W 12 lbs. dist. 8

a Do 6 " " " N 60° E 27 " "

80.00 set post cor. of sec. 34 & 35 from which

an Elm 10 in. diameter S 81° E 17 lbs. dist. 8

a Do 15 " " " S 35° W 38 " "

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a Gum 20 in. diameter N 55° E 11 lbs. dist. 8

a W. Oak 29 " " " S 15° W 19 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 10 in. diameter S 86° E 35 lbs. dist. 8

a Do 10 " " " S 18° E 16 " "

West on the S. Boundary of Sec. 33

40.00 set of sec. post from which

a Sweet Gum 5 in. diameter S 22° W 3 lbs. dist. 8

an Elm 20 " " " N 41° W 22 " "

80.00 set post cor. of sec. 32 & 33 from which

T. 5 N., R. 6 E., 2^d Mer. Ind^a.

a Beech 20 in. dia. bears N 14 E 27 lbs. dist. 8
 an Ironwood 6 " " " S 43 E 17 " "

West on the S. Boundary of Sec. 32

40.00 set of sec. post from which

a Beech 20 in. dia. bears N 65 E 18 lbs. dist. 8

a Do 10 " " " S 61 E 21 " "

64.00 a Brook 250 lbs. wide course S

80.00 set post cor. of Secs. 31 & 32 from which

a Beech 10 in. dia. bears N 21 W 25 lbs. dist. 8

a Do 10 " " " N 83 E 24 " "

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 87 E 47 lbs. dist. 8

a Do 40 " " " S 14 W 16 " "

78.40 to post cor. of S. 4 & 5 N., R. 5 & 6 E from which

a Beech 20 in. dia. bears S 36 W 6 lbs. dist. 8

a Do 20 " " " S 36 E 16 " "

East Boundary.

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 24 W 8 lbs. dist. 8

a Do 6 " " " S 24 E 16 " "

80.00 set post cor. of Secs. 25 & 36 from which

a Beech 20 in. dia. bears N 42 E 9 lbs. dist. 8

a W. Oak 15 " " " S 3 E 23 " "

This mile over flat Beech timbered land

North on the E. Boundary of Sec. 25

17.00 a Brook 10 lbs. wide course W

40.00 set of sec. post from which

T. 5 N., R. 6 E., Mer. Ind^a

an Elm 20 in. dia. bears S 59° W 6 lbs. dist. 8
 a Gum 6 " " " N 59° E 24 " "
 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 10 in. dia. bears N 32° W 14 lbs. dist. 8
 a Do 8 " " " S 85° E 25 " "
 Land the same as last noted

North on the E. Boundary of Sec. 24

6.50 a Brook 10 lbs. wide course NW
 40.00 set of sec. post from which
 a Beech 15 in. dia. bears S 83° E 6 lbs. dist. 8
 a Hickory 12 " " " N 56° W 23 " "
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 12 in. dia. bears S 70° E 22 lbs. dist. 8
 a Gum 10 " " " N 41° W 15 " "
 Land the same as last noted

North on the E. Boundary of Sec. 13

40.00 set of sec. post from which
 a Beech 10 in. dia. bears N 12° W 18 lbs. dist. 8
 a Do 10 " " " S 34° E 12 " "
 80.00 set post cor. of sec. 12 & 13 from which
 a W. Ark 15 in. dia. bears N 10° E 18 lbs. dist. 8
 a Beech 10 " " " N 53° W 10 " "
 Land the same as last noted, but brushy

North on the E. Boundary of Sec. 12

9.00 Brushy land
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S 66° E 17 lbs. dist. 8
 a W. Oak 20 " " " N 82° W 19 " "
 80.00 set post cor. of sec. 11 & 12 from which
 a Beech 10 in. dia. bears S 25° W 5 lbs. dist. 8

T. 5 N., R. 6 E., T. Mer. Ind.^a

a Beech 8 in. diameter N 9 E 30 lbs. dist.
 Land of the same quality as last noted

North on the E. Boundary of Sec. 1

37.50 a Brook 200 lbs. wide course S W

40.00 set g'sec. post from which

an Elm 10 in. diameter North 2 lbs. dist. S

a Beech 6 " " " S 23 W 10 " "

80.00 set post cor. of T. 5 & 6 N., R. 6 & 7 E. from which

a Beech 36 in. diameter N 22 W 10 lbs. dist. S

a Do 18 " " " S 31 E 42 " "

(Description of land &c. omitted.)

North Boundary
 Random Line.

East on the S. Boundary of Sec. 31, T 6 N., R 6 E

40.00 set temp. g'sec. post

80.00 set a temp. post for cor. of sec. 31 & 32

This mile over level Beech timbered land

East on the S. Boundary of Sec. 32, T 6 N., R 6 E

40.00 set temp. g'sec. post

80.00 set a temp. post for cor. of sec. 32 & 33

Land the same as last noted

East on the S. Boundary of Sec. 33, T 6 N., R 6 E

40.00 set temp. g'sec. post

44.50 a Spring Run 5 " wide course N E

56.00 a Do 4 " " " S

74.00 same 10 " " " N

80.00 set a temp. post for cor. of sec. 34 & 33

Land flat, timbered Beech & Maple

T. 5 N., R. 6 E. 2^d Mer. Ind^a

East on the S. Boundary of Sec. 34, T6N, R6E

18.00 Brushy Pond

40.00 set temp. g'sec. post

45.00 E. side of Pond

80.00 set a temp. post for cor. of sec. 34 & 35

Land flat, timber Beech & Maple

East on the S. Boundary of Sec. 35, T6N, R6E

20.00 a Brook 100 lks. wide course S

25.00 same " course NE

31.50 same " " SE

36.50 same " " NE

39.00 same " " S

40.00 set temp. g'sec. post

80.00 set a temp. post for cor. of sec. 35 & 36

Land flat

East on the S. Boundary of Sec. 36, T6N, R6E

40.00 set temp. g'sec. post

55.00 a Brushy Pond 20 lks. wide

78.00 Intersect E. Boundary 4 lks. N. of Town. corner

Land flat

Corrected Line.

West on the S. Boundary of Sec. 36, T6N, R6E

40.00 set g'sec. post from which

an Ironwood 10 in. diameter N 30 E 18 lks. dist. 8

a Do 6 " " " S 46 W 23 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 12 in. diameter N 40 E 12 lks. dist. 8

an Ironw? 6 " " " S 40 W 24 " "

West on the S. Boundary of Sec. 35, T6N, R6E

40.00 set g'sec. post from which

T. 5 N., R. 6 E. 2. Mer. Ind.?

- a Beech 10 in. dia. leans S 76 E 22 lbs. dirt .8
 a Do 24 " " " East 17 " "
 80.00 set post cor. of sec. 34 & 35 from which
 a Hickory 10 in. dia. leans N 77 W 47 lbs. dirt .8
 an Elm " " " N 55 W 8 " "

West on the S. Boundary of Sec. 34, T 6 N, R 6 E

- 40.00 set of sec. post from which
 a W. Ash 12 in. dia. leans N 41 E 15 lbs. dirt .8
 a Do 10 " " " S 28 W 15 " "
 80.00 set post cor. of sec. 33 & 34 from which
 a Gum 24 in. dia. leans N 47 W " lbs. dirt .8
 a Do 30 " " " S 50 E 10 " "

West on the S. Boundary of Sec. 33, T 6 N, R 6 E

- 40.00 set of sec. post from which
 a Maple 20 in. dia. leans N 18 E 15 lbs. dirt .8
 a Do 12 " " " S 18 W 38 " "
 80.00 set post cor. of sec. 32 & 33 from which
 a Beech 10 in. dia. leans N 68 E 24 lbs. dirt .8
 a Do 11 " " " N 88 W 23 " "

West on the S. Boundary of Sec. 32, T 6 N, R 6 E

- 40.00 set of sec. post from which
 a W. Oak 24 in. dia. leans S 55 E 3 lbs. dirt .8
 an Elm 10 " " " N 22 E 17 " "
 80.00 set post cor. of sec. 31 & 32 from which
 a W. Oak 14 in. dia. leans S 56 W 6 lbs. dirt .8
 a Gum 12 " " " N 8 E 18 " "

West on the S. Boundary of Sec. 31, T 6 N, R 6 E

- 40.00 set of sec. post from which
 a Beech 12 in. dia. leans S 52 W 4 lbs. dirt .8

T. 5 N., R. 6 E. 2.^d Mer. Ind.^a

a Poplar 40 in. dia. bears N 52 E 18 lbs. dist.
78.00 to Township corner. October 16, 1806

West Boundary.

North on the E. Boundary of Sec. 36, T. 5 N., R. 5 E.
38.00 a Sugar 10 in. dia.

40.00 set g. sec. post from which
a Sugar 20 in. dia. bears N 88 W 9 lbs. dist. 8
a Beech 8 " " " S 25 E 23 " "

67.40 a Do 8 " "

80.00 set post cor. of sec. 25 & 36 from which
a Sugar 15 in. dia. bears N 69 E 4 lbs. dist. 8
a Poplar 50 " " " S 69 W 2 " "
This mile over good farming land, timber
Beech, Oaks Hickory

North on the E. Boundary of Sec. 25, T. 5 N., R. 5 E.
19.50 a Beech 20 in. dia.

40.00 set g. sec. post from which
a Beech 28 in. dia. bears S 23 E 20 lbs. dist. 8
a Do 10 " " " N 23 W 8 " "

80.00 set post cor. of sec. 24 & 25 from which
a Poplar 24 in. dia. bears S 5 E 50 lbs. dist. 8
a Beech 8 " " " N 50 W 13 " "
Land the same as last noted

North on the E. Boundary of Sec. 24, T. 5 N., R. 5 E.

40.00 set g. sec. post from which
a Beech 20 in. dia. bears S 15 W 38 lbs. dist. 8
a Do 6 " " " N 19 E 6 " "

80.00 set post cor. of sec. 13 & 24 from which
a Beech 10 in. dia. bears S 4 E 19 lbs. dist. 8
a Do 7 " " " N 73 W 28 " "

T. 5 N., R. 6 E. L. Mer. Ind. a.

This mile level Beech timbered land, Under
brush Spice

North on the E. Boundary of Sec. 13, T. 5 N., R. 5 E

30.00 a Beech 20 in. dia.

40.00 Set of sec. post from which

a Beech 6 in. dia. bears S 73 E 11 lbs. dist. 8

a Hickory 7 " " " N 52 W 5 " "

70.00 a Spring course, W

80.00 Set post cor. of sec. 12 & 13 from which

a Beech 10 in. dia. bears S 12 W 12 lbs. dist. 8

a Do 20 " " " N 61 W 11 " "

Land the same as last noted

North on the E. Boundary of Sec. 12, T. 5 N., R. 5 E

28.80 a Beech 28 in. dia.

40.00 Set of sec. post from which

a Poplar 40 in. dia. bears S 20 W 17 lbs. dist. 8

a Beech 10 " " " N 20 E 22 " "

50.40 a W. Ash 20 " "

80.00 Set post cor. of sec. 1 & 12 from which

a W. Oak 20 in. dia. bears S 4 W 50 lbs. dist. 8

a Do 20 " " " N 74 - 27 " "

Land the same as last noted

North on the E. Boundary of Sec. 1, T. 5 N., R. 5 E

6.30 a W. Oak 20 in. dia.

40.00 Set of sec. post from which

a Gum 30 in. dia. bears N 44 W 4 lbs. dist. 8

a W. Oak 10 " " " N 12 E 8 " "

80.00 Set post cor. of Sec. 5 & 6 N., R. 5 & 6 E. from which

a W. Oak 10 in. dia. bears S 48 W 2 lbs. dist. 8

a Beech 24 " " " N 25 E 14 " "

T. 5 N., R. 6 E. T. Mer. Ind.^a

Said the same as last noted.
 Surveyed in 1806 by Arthur Hensie
 Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, T. 5 N., R. 6 E

5.02 an Elm 16 in. dia.

20.00 a Branch 20 lbs. wide course W

40.00 set of sec. post from which

a Beech 19 in. dia. bears N 22 E 11 lbs. dist. 8

a Do 10 " " " S 22 E 19 " "

67.50 a Branch 25 lbs. wide course S 40 W

74.75 a Do 10 " " " W

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 15 in. dia. bears N 60 E 17 lbs. dist. 8

a Do 12 " " " N 78 W 21 " "

Low ridges, Beech, Poplar & Ash

East on Random between Sec. 25 & 36

5.00 a Branch 10 lbs. wide course S

10.50 a Do 15 " " " S

40.00 set temp. of sec. post

40.30 a Branch 12 lbs. wide course S

48.00 a Branch 25 lbs. wide course S

77.00 Intersect E. Boundary 75 lbs. N. of post -
 Level, Beech, Ash & Poplar

West Cornered between Sec. 25 & 36

38.50 set of sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 71 W 12 lbs. dist. 8

a Do 13 " " " N 20 E 43 " "

77.00. to sec. cor.

North between Sec. 34 & 35

T. 5 N., R. 6 E. I. Mer. Ind. ^a

15.00 wet Bottom, Maple

2.75 a Branch 10 lbs. wide course S40°W

15.80 a Beech 18 in. dia.

30.50 a Branch 6 lbs. wide course E

40.00 set g. sec. post from which

a Beech 16 in. dia. bears S73°E 26 lbs. dist. 18

a Do 13 " " " S85½°W 23 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Beech 13 in. dia. bears N70°E 20 lbs. dist. 18

a Do 13 " " " N75°W 21 " "

Low ridges, good Plough land, Beech, Poplar,
Ash & Walnut

East on Random between Sec. 26 & 35

34.38 a Branch 6 lbs. wide course S

40.00 set temp. g. sec. post

67.50 a Branch 10 lbs. wide course S

78.50 Entered N.E. line 30 lbs. N. of post -

Low ridges, Beech, Poplar & Ash, good Plough land

West Corner at between Sec. 26 & 35

39.25 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears N33°W 6 lbs. dist. 18

a Poplar 10 " " " South 35 " "

78.50 to sec. cor.

North between Sec. 25 & 26

6.50 a Branch 10 lbs. wide course S40°E

40.00 set g. sec. post from which

a Hickory 10 in. dia. bears N24°W 10 lbs. dist. 18

a Beech 20 " " " S28°E 15 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a W. Oak 18 in. dia. bears S66°E 19 lbs. dist. 18

T. 5 N., R. 6 E. 2. Mer. Ind. a

a Beech 10 in. dia. bears N 42 W 41 lbs. dirt.
 Good level land, Beech, Poplar, Ash & Oak
 some Sugar

North between Sec. 33 & 34

22.00 36.00 through Swamp. This Swamp I
 traversed by an offset of 10.00 to the E.

64.42 a Beech 22 in. dia.

72.12 a Branch 4 lbs. wide course S 20 W

80.00 at foot cor. of sec. 27, 28, 33 & 34 from which
 a Beech 13 in. dia. bears N 27 E 29 lbs. dirt &

a Do 12 " " " S 60 W 30 " "

Land, except Swamp, good for the Plough,
 Poplar & Beech. November 16, 1806

East on Random between Sec. 27 & 34

0.75 a Branch 5 lbs. wide course S

26.38 a Do 6 " " " S

40.00 at temp. of sec. foot

47.00 a Branch 20 lbs. wide course S

69.00 a Do 6 " " " S 50 W

80.30 Intersected N & S line at foot—

Low ridges, Walnut, Poplar, Ash & Oak

West Corner between Sec. 27 & 34

40.15 at g/sec. foot at aver. dirt. from which

a Walnut 22 in. dia. bears N 57 E 4 lbs. dirt &

a Sugar 10 " " " S 11 W 21 " "

80.30 to sec. cor.

North between Sec. 26 & 27

40.00 at g/sec. foot from which

a Beech 14 in. dia. bears S 34 W 12 lbs. dirt &

T. 5 N., R. 6 E., S. 2. Mer. Ind.

a Beech 14 in. dia. bears N 89 E 27 lbs. dist.

46.50 a Branch 10 lbs. wide course W

57.70 a Beech 30 in. dia.

65.00 a Branch 6 lbs. wide course W

80.00 Set post cor. of sec. 22, 23, 26 & 27 from which
an Ark 12 in. dia. bears S 21 W 10 lbs. dist. &

a Beech 20 " " " N 5 E 44 " "

Low ridges, Beech, Poplar, Ark & Oak

North between Sec. 32 & 33

40.00 Set of sec. post from which

a Beech 16 in. dia. bears S 51 W 21 lbs. dist. &

an Elm 12 " " " S 21 W 23 " "

61.00 a Creek 200 lbs. wide course S 30 W

76.50 a Branch 20 lbs. wide course S 50 E

80.00 Set post cor. of sec. 28, 29, 32 & 33 from which

a Sycamore 36 in. dia. bears N 57 E 20 lbs. dist. &

an Ark 32 " " " S 47 W 70 " "

Bottoms, Elm, Ark, Gum & Beech

East on Random between Sec. 28 & 33

23.50 Bend of creek, course S

26.00 a Drain course S

40.00 Set temp. of sec. post in creek

40.25 Creek 200 lbs. wide course S

47.00 a Pond

58.00 a Drain course N

65.00 Upland

80.00 Intersect N & S line at post -

Beech, Poplar, Maple & Elm

West Blazed between Sec. 28 & 33

(Notes omitted)

T. 5 N., R. 6 E. 2.^d Mer. Ind.^a

North between Sec. 27 & 28

35.00 a Branch 5 lbs. wide course N 40 W

40.00 set g'sec. post from which

a Beech 24 in. diameter S 55 W 19 lbs. dist. 8

an Ash 14 " " " S 67 E 20 " "

53.75 a Branch 10 lbs. wide course W

58.75 a Beech 16 in. dia.

60.00 Bottom to the mile post

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Gum 38 in. dia. bears S 44 W 13 lbs. dist. 8

a W. Beech 12 " " " S 80 E 39 " "

Beech, Poplar, Gum & Oak - Spice bush

North between Sec. 31 & 32

36.50 a R. Oak 36 in. dia.

40.00 set g'sec. post from which

a Beech 16 in. diameter S 46 E 30 lbs. dist. 8

a Do 10 " " " N 27 W 6 " "

52.01 a Poplar 30 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

an Elm 18 in. diameter N 23 E 34 lbs. dist. 8

a Sugar 11 " " " N 57 E 31 " "

The sec. post stands in a Branch 12 lbs. wide course E

Beech, Poplar & Ash, Good Plough land

East on Random between Sec. 29 & 32

7.75 a Branch 20 lbs. wide course S 30 E

40.00 set temp. g'sec. post

75.12 a Branch 20 lbs. wide course S 60 E

78.30 Intersect N & S. line 10 lbs. S. of post -

Level, Beech, Poplar & Ash, Good Plough land

West cancelled between Sec. 29 & 32

T. S. N., R. C. E. I. Mer. Ind.^a

39.15 Set of sec. port at aver. dist. from which
 a Beech 12 in. dia. bears N 75° W 10 lbs. dist. 8
 a Do 8 " " " S 33° E 22 " "
 78.30 to sec. cor.

North between Sec. 28 & 29

7.75 an Elm 36 in. dia.
 37.50 Swamp
 40.00 of sec. port in Swamp
 65.00 N. side of Swamp, but wet land to the sec. port
 80.00 Set port cor. of sec. 20, 21, 28 & 29 from which
 an Elm 18 in. dia. bears N 48° W 18 lbs. dist. 8
 a Do 16 " " " S 82° E 25 " "
 Maples, Ash, Elm, Gum & Oak
 November 17. 1806

West between Sec. 30 & 31

10.38 a Branch 10 lbs. wide course N 70° E
 32.25 a Beech 18 in. dia.
 40.00 Set of sec. port from which
 a Beech 20 in. dia. bears N 79° W 21 lbs. dist. 8
 a Poplar 24 " " " S 45° E 12 " "
 68.00 a Beech 30 " "
 75.75 Intersect W. Boundary 56 lbs. N. of port
 Set port at intersection cor. of sec. 30 & 31 from which
 a Beech 22 in. dia. bears S 61° E 21 lbs. dist. 8
 a Do 10 " " " N 53° E 20 " "
 Low ridges, Beech, Poplar, Ash, Sugar & Oak

North between Sec. 29 & 30

11.50 a Beech 20 in. dia.
 40.00 Set of sec. port from which
 a W. Oak 12 in. dia. bears S 25° E 6 lbs. dist. 8

T. 5 N., R. 6 E. 2.^d Mer. Ind.^a

- a W. Oak 20 in. diameter S 84 E 19 lbs. dist.
 74.50 a Branch 3 lbs. wide corner E
 80.00 set post cor. of sec. 19, 20, 29 & 30 from which
 a Beech 18 in. diameter N 40 W 29 lbs. dist. 8
 a Do 16 " " " N 50 E 39 " "
 Level, Beech, Oak & Poplar
-

East on Random between Sec. 20 & 29

- 10.75 Swamp to the mile post
 40.00 set temp. g'sec. post
 79.86 Intersect N & S. line 35 lbs. S. of post -
 Oak, Beech, Poplar to the Swamp - Maple, Elm,
 Oak & Ash brush
-

West located between Sec. 20 & 29

- 39.92 set g'sec. post at aver. dist. from which
 a Maple 13 in. diameter N 5 E 6 lbs. dist. 8
 a Do 14 " " " S 20 W 12 " "
 79.86 to sec. cor.
-

East on Random between Sec. 21 & 28

- 40.00 set temp. g'sec. post
 65.05 a Creek 200 lbs. wide corner S
 79.90 Intersect N & S. line at post -
 All Bottom, Elm, Maple, Ash & Beech
-

West blazed between Sec. 21 & 28

- 39.95 set g'sec. post at aver. dist. from which
 a Beech 14 in. diameter S 3 E 21 lbs. dist. 8
 a Do 18 " " " N 12 E 19 " "
 79.90 to sec. cor.
-

East on Random between Sec. 22 & 27

5.23 a Branch 7 lks. wide course S 30 W

40.00 set temp. g^o sec. port

65.88 a Branch 15 lks. wide course N

80.00 Intersect N & S. line at port—

Low ridges, Beech, Poplar, Ash & Oak

West blazed between Sec. 22 & 27

40.00 set g^o sec. port at aver. dist. from which

a Beech 18 in. diameter S 15 E 10 lks. dist. 3

a Poplar 18 " " " N 35 W 21 " "

80.00 to sec. cor.

East on Random between Sec. 23 & 26

40.00 set temp. g^o sec. port

79.00 Intersect N & S. line 88 lks. S. of port—

Low ridges, Beech, Poplar, Hickory, Ash & Elm
Rich land

West connected between Sec. 23 & 26

39.50 set g^o sec. port at aver. dist. from which

a Hickory 12 in. diameter N 25 W 6 lks. dist. 3

a Beech 7 " " " S 65 E 20 " "

79.00 to sec. cor. November 18, 1806

East on Random between Sec. 24 & 25

40.00 set temp. g^o sec. port

63.25 a Branch 10 lks. wide course S 30 W

72.50 a Do 6 " " " S

76.30 Intersect E. Boundary 12 lks. N. of port—

Level, Beech, Oak, Poplar, Gum & Ash

West connected between Sec. 24 & 25

38.15 set g^o sec. port at aver. dist. from which

T. 5 N., R. 6 E. 2. Mer. Ind.?

a W. Oak 18 in. dia. bears N 57° W 8 lbs. dist. 8

a Beech 10 " " " S 83° W 15 " "

76.30 to sec. cor.

North between Sec. 23 & 24

33.75 a Branch 12 lbs. wide course W

40.00 set of sec. port from which

a Beech 18 in. dia. bears S 25° E 4 lbs. dist. 8

a Do 10 " " " N 73½° W 12 " "

43.25 a Branch 12 lbs. wide course W

80.00 set port cor. of sec. 13, 14, 23 & 24 from which

a Beech 12 in. dia. bears N 7° E 3 lbs. dist. 8

a Do 12 " " " S 45° W 15 " "

Low ridges, Beech, Hickory & Ash

North between Sec. 22 & 23

8.00 a Walnut 18 in. dia.

24.00 a Branch 12 lbs. wide course S 40° W

40.00 set of sec. port from which

a Beech 32 in. dia. bears N 74° E 15 lbs. dist. 8

a Sugar 16 " " " S 85° W 12 " "

74.38 a Poplar 48 " "

80.00 set port cor. of sec. 14, 15, 22 & 23 from which

a Beech 14 in. dia. bears S 32° E 5 lbs. dist. 8

a Poplar 8 " " " S 82° W 3 " "

Low ridges, Beech, Poplar, Ash & Walnut -

Spice brush - Good for the Plough

North between Sec. 21 & 22

24.00 a Lycium 36 in. dia.

35.50 a Branch 12 lbs. wide course W

40.00 set of sec. port from which

a Beech - in. dia. bears N 53° E 38 lbs. dist. 8

T. S. N., R. O. E. P. Mer. Ind.

an Elm 10 in. dia bears S42°W 24 lbs. dist.

43.50 a Creek 200 lbs. wide course ~~N16°50'W~~ S60°W

Offset East 5.00 - N16°50' W 5.00
to the true line - S. 1.50 to the Creek

80.00 set post cn. of sec. 15, 16, 21 & 22 from which

a Hickory 8 in. dia bears S40°E 13 lbs. dist. 8

a Do 11 " " " N87°W 14 " "

Bottom, Oak, Hickory, Elm & Beech

North between Sec. 20 & 21

12.12 an Elm 10 in. dia.

40.00 set g.p. post from which

a Maple 22 in. dia bears N67°W 33 lbs. dist. 8

a Do 18 " " " N33°E 44 " "

56.25 an Elm 36 " "

80.00 set post cn. of sec. 16, 17, 20 & 21 from which

a Maple 13 in. dia bears N44°E 15 lbs. dist. 8

a Do 18 " " " S41°E 47 " "

All Bottom wet, Maple, Maple, Ash, Gum, Elm
& Beech

West between Sec. 19 & 30

36.50 level Beech land

6.00 a Branch 6 lbs. wide course S

28.80 a W. Oak 18 in. dia.

40.00 set g.p. post from which

a Beech 13 in. dia bears S86°W 19 lbs. dist. 8

a Do 12 " " " S80°E 31 " "

65.12 a Do 22 " "

74.00 Intersect W. Boundary 225 lbs. S. of post -

set post at intersection cn. of sec. 19 & 30 from which

a Beech 14 in. dia bears S87°E 12 lbs. dist. 8

a Do 12 " " " N69°W 8 " "

T. 5 N., R. 6 E. 2. Mer. Ind.^a

Level land Beech, Maple, Elm, Ash & Oak—
in rising land Beech, Poplar & Ash. Rich land

North between Sec. 19 & 20

26.50 a Chestnut 33 in. dia.

40.00 set of sec. port from which

a Beech 13 in. dia. bears S 62° W 15 lbs. dist. 8

a Do 10 " " " N 20° E 11 " "

54.00 a Maple 18 in. dia.

80.00 set port cn. of Sec. 17, 18, 19 & 20 from which

a Beech 24 in. dia. bears S 70° W 8 lbs. dist. 8

a Maple 14 " " " N 18° E 37 " "

Level, Oak, Beech, Maple, Ash & Chestnut

November 19. 1806

West between Sec. 18 & 19

31.55 a Poplar 40 in. dia.

40.00 set of sec. port from which

a Beech 20 in. dia. bears N 20° E 26 lbs. dist. 8

a Do 7 " " " S 75° W 16 " "

58.25 a Branch 12 lbs. wide course N

66.75 a Poplar 18 in. dia.

75.12 Intersect W. Boundary 26 lbs. S. of port—

set port at intersection cn. of Sec. 18 & 19 from which

an Elm 13 in. dia. bears S 63° E 9 lbs. dist. 8

a Beech 12 " " " N 9° E 9 " "

Low ridges, Oak, Poplar, Beech & Chestnut

East on Random between Sec. 17 & 20

18.50 31.50 fallen timber

40.00 set temp. of sec. port

42.50 a Branch 5 lbs. wide course N

50.00 same " course S 60° E

T. S. N., R. C. E. 2. Mer. Ind.?

78.00 wet Bottom to port

80.00 Intersect N & S. line at port—

Sedl., Oak, Beech, Poplar & Hickory. Good Plough
landConnected line omitted. See page 454

East on Random between Sec. 16 & 21

16.88 Pond 75

40.00 set temp. g. sec. port

42.00 Pond 75

67.00 a creek 200 lbs. wide came S

78.50 a Pond 200

80.00 Intersect N & S. line at port—

All Bottom, Poplar, Beech, Ash & Maple

West blazed between Sec. 16 & 21

40.00 set g. sec. port at aver. dist. from which

a Beech 13 in. dia. bears N 23° W 30 lbs. dist. 8

a Do 12 " " " S 36° W 30 " "

80.00 to sec. cor.

East on Random between Sec. 15 & 22

2.25 Pond 200

31.50 Do 300

40.00 set temp. g. sec. port

80.00 Intersect N & S. line 75 lbs. N. of port—

Bottom generally wet, Maple, Ash, Gum,
Elm, Hickory & BeechWest connected between Sec. 15 & 22

40.00 set g. sec. port at aver. dist. from which

an Ash 7 in. dia. bears S 85° E 8 lbs. dist. 8

a Do 10 " " " N 33° E 34 " "

80.00 to sec. cor.

T. 5 N., R. 6 E. 2^d Mer. Ind.^a

East on Random between Sec. 14 & 23

7.75 a Branch 4 lbs. wide curve N

40.00 set temp. g. sec. port

41.00 a Branch 12 lbs. wide curve N

77.00 a Do 10 " " " S

..... Whole distance omitted

Low ridges, Beech, Ash, Poplar, Oak; Grape vines

West connected between Sec. 14 & 23

— — set g. sec. port at aver. dist. from which
 a Beech 14 in. dia. bears S 1 E 9 lbs. dist. 8
 an Ash 20 " " " S 43 W 10 " "

..... to sec. cor.

East on Random between Sec. 13 & 24

16.25 a Branch 4 lbs. wide curve N

39.12 a Do " S 50 W

40.00 set temp. g. sec. port

76.33 Intersect E. Boundary 30 lbs. E. of port -

Levee, Beech, Ash, Poplar & Oak

West connected between Sec. 13 & 24

38.16 h set g. sec. port at aver. dist. from which
 a W. Oak 18 in. dia. bears S 56 W 8 lbs. dist. 8
 a Beech 16 " " " N 76 E 20 " "

76.33 to sec. cor.

North between Sec. 13 & 14

38.88 a W. Oak 22 in. dia.

40.00 set g. sec. port from which

a Beech 18 in. dia. bears S 25 W 22 lbs. dist. 8

a W. Oak 30 " " " N 47 W 15 " "

45.00 6.50 fallen timber

T. 5 N., R. 6 E. 2^d Mer. Ind.^a

63.45 a Beech 23 in. dia.

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Beech 20 in. diameter N 30 E 16 lbs. dist. 8

a Do 21 " " " N 45 W 34 " "

Level, Beech, Poplar & Oak, November 20, 1806

North between Sec. 14 & 15

32.50 fallen timber 7.50

40.00 set of sec. post from which

a Beech 12 in. diameter N 29 E 5 lbs. dist. 8

a Do 10 " " " S 41 W 27 " "

43.75 a Branch 20 lbs. wide course W

51.50 a Beech 30 in. dia.

62.50 Maple Swamp to the post

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 13 in. diameter S 57 1/2 E 9 lbs. dist. 8

an Ash 10 " " " N 56 1/2 W 33 " "

Beech, Poplar, Ash, Maple, Elm & Gum

North between Sec. 15 & 16

4.00 a Pond 250

11.62 a W. Oak 46 in. dia.

18.00 a Bayou 225 lbs. wide course S 50 W

27.00 a Do 250 " " " N 50 E

33.25 a Pond 60 E

40.00 set of sec. post from which

a Gum 14 in. diameter N 78 E 16 lbs. dist. 8

a Beech 16 " " " S 37 1/2 W 29 " "

54.25 a Creek 200 lbs. wide course S 50 W

Offset East 4.00, North 5.00, West 4.00
to the true line on the bank of the Creek S 30 E

79.00 a Creek 200 lbs. wide course S 30 W

80.00 cor. of sec. 9, 10, 15 & 16 in the Creek

T. 5 N., R. 6 E. 2.^o Mer. Ind.^a

Bottom, Beech, Poplar & Oak

North between Sec. 16 & 17

4.00 wet Bottom

5.00 fallen timber 6.00

40.00 set of sec. post from which

a W. Oak 12 in. dia. bears S 54° W 100 yds. dist. 8

a Sapling 7 yds. " " N 15° W 6 " "

40.25 a Branch 8 yds. wide course E

24.25 a B. Oak 32 in. dia.

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Beech 12 in. dia. bears N 39° W 25 yds. dist. 8

a Do 14 " " " S 14° E 17 " "

B & W. Oak, Beech, & Poplar, some Chesnut
Good level Plough land

North between Sec. 17 & 18

36.88 a Branch 5 yds. wide course E

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 63° E 7 yds. dist. 8

a Do 10 " " " N 48° W 26 " "

55.50 a Branch 12 yds. wide course E

67.00 a Hickory 18 in. dia.

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 12 in. dia. bears S 89° E 25 yds. dist. 8

a Do 13 " " " S 25° W 50 " "

Low ridges, Beech, Poplar, Oak, Hickory & Ash

West between Sec. 7 & 18

28.25 a Sugar 16 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 60° E 16 yds. dist. 8

a Do 16 " " " N 59° E 25 " "

T. 5 N., R. 6 E. 2^d Mer. Ind.^a

59.00 a Branch 3¹/₂ m. wide course S 50° W

74.60 Intersect W. Boundary 40 m. N. of port -

Set port at intersection cor. of sec. 7 & 18 from which

a Beech 12 in. diameter N 20° E 33 m. dist. 8

a Do 6 " " " S 37° E 34 " "

Low ridges, good land, Beech, Poplar, Oak,
Sugar & Hickory

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. port

80.00 Intersect N. S. line 25 m. N. of port -

Low ridges, rich land, Beech, Poplar, Oak,
Ash & Walnut

West corrected between Sec. 8 & 17

40.00 set g. sec. port at aver. dist. from which

an Ash 18 in. diameter N 45° E 12 m. dist. 8

a Beech 10 " " " S 43° W 15 " "

80.00 to sec. cor.

East on Random between Sec. 9 & 10

20.00 Bottom to the mile port

40.00 set temp. g. sec. port

44.50 Pond 100 S

79.00 a Creek 200 m. wide course S 30° W

80.00 Intersect N. S. line in Creek

West corrected between Sec. 9 & 10

40.00 set g. sec. port at aver. dist. from which

a Beech 21 in. diameter N 85° E 27 m. dist. 8

a W. Oak 30 " " " S 17° W 15 " "

80.00 to sec. cor.

Oak, Beech, Poplar, some Chestnut & Ash

T. S. N., R. O. E. 2^d Mer. Ind.^a

East on Random between Sec. 10 & 15

30.00 a Pond 150 N60W

40.00 set temp. g. sec. post

80.00 Intersect N & S line at post -

Bottom, part wet, Maple, Ash, Elm, Beech & Gum

West blazed between Sec. 10 & 15

40.00 set g. sec. post at aver. dist. from which

a Beech 13 in. dia. bears S 29W 110 ft. dist. S

a Dr 13 " " " N 69W 114 " "

80.00 to sec. cor. November 21. 1806

East on Random between Sec. 11 & 14

17.00 wet Bottom

39.00 a Branch 12 ft. wide course N 50W

40.00 set temp. g. sec. post

44.50 a Branch 6 ft. wide course S 60W

77.50 Intersect N & S line 75 ft. S. of post -

Low ridges, Beech, Oak, Poplar & Elm

West Connected between Sec. 11 & 14

38.75 set g. sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 59E 23 ft. dist. S

an Elm 12 " " " S 53E 21 " "

77.50 to sec. cor.

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

77.50 Intersect E. Boundary 312 ft. N. of post -

Syc, Beech, Oak, Poplar, Ash, Maple & Gum

West Connected between Sec. 12 & 13

38.75 set g. sec. post at aver. dist. from which

T. S. N., R. C. E. I. Mer. Ind. a

a W. Oak 22 in. diameter N 65 E 13 lbs. dist. 8

a Beech 10 " " " S 57 E 13 " "

77.50 to sec. cor.

North between Sec. 11 & 12

28.25 a Beech 23 in. diam.

40.00 set g. sec. post at aver. dist. from which

a Beech 22 in. diameter S 41 E 18 lbs. dist. 8

a Do 8 " " " N 58 W 28 " "

54.62 a Do 22 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 8 in. diameter N 79 E 4 lbs. dist. 8

a Do 13 " " " S 12 W 14 " "

Low ridges level, Beech, Poplar & Oak

North between Sec. 10 & 11

40.00 set g. sec. post from which

a Beech 16 in. diameter S 37 E 8 lbs. dist. 8

a Do 30 " " " S 59 W 37 " "

56.00 a Poplar 24 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 18 in. diameter N 56 W 24 lbs. dist. 8

a Do 24 " " " S 83 E 25 " "

(Description of land &c. omitted)

North between Sec. 9 & 10

4.00 a Creek corner S 60 E

12.00 a Do " " S 70 W

15.88 a Do " " S 50 E

28.12 same " " W

34.20 same " " E

40.00 set g. sec. post from which

a Walnut 20 in. diameter S 65 E 19 lbs. dist. 8

T. 5 N., R. 6 E. 2.^d Mer. Ind.^a

an Elm 14 in. dia. bears S 17° W 34 lbs. dist. 1,
the g. sec. part stands on the bank of creek course
S 35° W

80.00 set part cor. of sec. 4, 3, 9 & 10 from which
a Maple 13 in. dia. bears N 41° W 17 lbs. dist. 8
a Dr 14 " " " N 45° E 10 " "
Bottom, Maple, Beech, Walnut, Ash & Elm

North between Sec. 8 & 9

6.45 a Beech 16 in. dia.
12.75 a Branch 10 lbs. wide course S 40° E
40.00 set g. sec. part from which
a Maple 16 in. dia. bears N 65° W 24 lbs. dist. 8
a Gum 18 " " " S 76° E 9 " "
52.50 Mebey's trace
56.50 a Branch 10 lbs. wide course E
67.62 a Beech 30 in. dia.
80.00 set part cor. of sec. 4, 5, 8 & 9 from which
a Hickory 12 in. dia. bears N 20° W 13 lbs. dist. 8
a Beech 23 " " " S 8° E 25 " "
Level, Beech, Poplar, Oak & Hickory

North between Sec. 7 & 8

27.75 a Beech 18 in. dia.
40.00 set g. sec. part from which
a Beech 10 in. dia. bears N 45° E 11 lbs. dist. 8
a Poplar 33 " " " S 45° W 27 " "
75.88 a Beech 36 " "
80.00 set part cor. of sec. 5, 6, 7 & 8 from which
an Ash 33 in. dia. bears N 68° W 18 lbs. dist. 8
a Beech 14 " " " S 33° E 37 " "
Low ridges, rich land, Beech, Poplar, Walnut,
Ash & Oak

T. 5 N., R. 6 E. 2^d Mer. Ind.^a

West between Sec. 6 & 7

10.75 a Poplar 36 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 45 E 6 Ms. dist. 8

a Do 12 " " " S 21 E 13 " "

62.88 a W. Oak 18 " "

73.12 Intersect N. Boundary 118 Ms. N. of post—

set post at intersection cn. of Sec. 6 & 7 from which

a W. Oak 18 in. dia. bears N 50 E 11 Ms. dist. 8

a Do 15 " " " S 1 W 9 " "

Level, Beech, Oak, Poplar, Maple & Hickory

November 22, 1806

North between Sec. 5 & 6

32.12 a Gum 18 in. dia.

40.00 set of sec. post from which

a Beech 13 in. dia. bears S 39 E 11 Ms. dist. 8

a W. Oak 20 " " " S 17 W 27 " "

77.25 Intersect N. Boundary 405 Ms. N. of post—

set post at intersection cn. of Sec. 5 & 6 from which

a Gum 10 in. dia. bears S 60 W 9 Ms. dist. 8

a Hickory 8 " " " S 65 E 20 " "

Level, Beech, Oak, Gum, Poplar & Hickory,
some Ash

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post

52.00 a Branch 6 Ms. wide cross N

80.00 Intersect N. G. line at post

Level, Beech, Walnut, Poplar, Oak & Ash

West corner between Sec. 5 & 8

40.00 set of sec. post at aver. dist. from which

T. 5 N., R. 6 E. 2. Mer. Ind.^a

an Ash 16 in. dia. diam S 34 W 15 lbs. dist. 8

a Beech 12 " " " S 57 E 19 " "

80.00 to sec. cor.

East on Random between Sec. 4 & 9

15.50 Tiebey's trace

40.00 set temp. g. sec. post

55.00 Bottom to the mile post

69.50 a Branch 20 lbs. wide course S

79.50 Intersect N & S. line 60 lbs. S. of post -

Beech, Poplar, Ash & Oak on the upland,
Maple, Elm & Ash in the Bottoms

West Connected between Sec. 4 & 9

39.75 set g. sec. post at aver. dist. from which

a Beech 7 in. dia. diam S 28 W 16 lbs. dist. 8

a Dr 12 " " " N 44 E 25 " "

79.50 to sec. cor.

East on Random between Sec. 3 & 10

39.00 a Creek 200 lbs. wide course S

40.00 set temp. g. sec. post

80.00 Intersect N & S. line 70 lbs. S. of post -

Bottom, Maple, Elm & Ash

West Connected between Sec. 3 & 10

40.00 set g. sec. post at aver. dist. from which

a Sycamore 3 in. dia. diam S 83 E 48 lbs. dist. 8

no other Bearing tree

80.00 to sec. cor.

East on Random between Sec. 2 & 11

17.00 wet Bottom

T. 5 N., R. 6 E. 2. Mer. Ind.^a

12.50 a Pond 50 S 30 W

40.00 sit temp. g. sec. port

77.50 Intersect N & S. line 6 Ms. S. of port -

Low ridges to the Bottom, Beech, Poplar, Oak
& Ash - Maple, Elm, Ash & Hickory in the
Bottom

West Correlated between Sec. 2 & 11

38.25 sit g. sec. port at aver. dirt. from which
a Beech 13 in. diameter S 4 E 18 Ms. dirt is
a Do 6 " " " N 55 W 12 " "

77.50 to sec. cor.

East on Random between Sec. 1 & 12

40.00 sit temp. g. sec. port in a Branch 12 Ms. wide
course N 20 E

64.75 a Branch 10 Ms. wide course N

79.40 Intersect Boundary 338 Ms. N. of port -
Low ridges, Beech, Poplar & Hickory

West Correlated between Sec. 1 & 12

39.70 sit g. sec. port at aver. dirt. from which
a W. Beech 14 in. diameter N 75 E 12 Ms. dirt is
an Ash 20 " " " S 13 W 47 " "

79.40 to sec. cor.

North between Sec. 1 & 12

23.00 a Beech 22 in. dia.

40.00 sit g. sec. port from which

a Sugar 12 in. diameter N 15 E 22 Ms. dirt is
a Beech 12 " " " S 31 W 10 " "

50.00 Bottom to the creek

67.12 Creek 200 Ms. wide course S 60 W

T. 5 N., R. 6 E. S. 1 Mer. Ind.^a

79.50 Intersect N. Boundary 135th. W. of port -
 set port at intersection cor. of Sect. 1 & 2 from
 which a Beech 7 in. diameter N 39° W 4th. dist. 8
 a Do 12 " " S 25° W 14 " "
 Bottom, Maples, Elms, Ash & Oak

North between Sect. 2 & 3

40.00 set g. sec. port from which
 a Beech 10 in. diameter N 31° E 11th. dist. 8
 a Do 12 " " S 78° W 37 " "

50.00 a Creek 200th. wide course W

80.58 Intersect N. Boundary 21th. W. of port -
 set port at intersection cor. of Sect. 2 & 3 from which
 a Hickory 14 in. diameter N 38° W 5th. dist. 8
 a R. Oak 12 " " N 73° E 11 " "
 Wet Bottom, Maples, Elms, Hickory & Ash
 November 23, 1806

North between Sect. 3 & 4

33.74 a R. Oak 18 in. dia.

35.00 a Swamp 10.00 S 40° W

40.00 set g. sec. port in Swamp

50.00 Upland to port

50.80 a B. Oak 22 in. dia.

81.80 Intersect N. Boundary 6th. W. of port -
 set port at intersection cor. of Sect. 3 & 4 from which
 a Poplar 24 in. diameter S 19° E 27th. dist. 8
 a Beech 15 " " S 57° E 10 " "
 Level, the Bottom wet, Maple, Elm & Ash
 - Beech, Maple, Oak & Ash on the Upland

North between Sect. 4 & 5

20.66 a Branch 6th. wide course S 50° E

T. 5 N., R. 6 E., 2^d Mer. Ind.^a

23.70 a W. Oak 48 in. dia.

40.00 set of sec. post from which

a Beech 13 in. dia. bears S 4 E 24 lbs. dist. 8

a Do 36 " " " N 47 W 28 " "

51.75 an Ash 20 " "

77.62 Intersect N. Boundary 221 lbs. W. of post -

set post at intersection cor. of sec. 45 from which

a Beech 18 in. dia. bears S 32 E 44 lbs. dist. 8

a Do 16 " " " S 44 W 50 " "

Low ridges, rich land, Beech, Poplar, Oak,
Ash & SugarNovember 24, 1806. Surveyed by
Jacob Fowler
Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the Survey of Township N. 5
North, in Range N. 6 East of the 2^d Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file
in this office, and found to be correct.

Surveyor General's Office,

Cincinnati, March 25, 1842

E. S. Rains
Sur. Genl.

Omitted on page 441

West blazed between Sec. 17 & 20

40.00 set of sec. post at aver. dist. from which
a Hickory 12 in. dia. bears N 28 E 37 lks. dist. 2
a Do 6 " " " N 78 E 42 " "

80.00 to sec. cor.